

# FULL FACE MASK

**TR 2002 "DUPLA"****Mod. P/N 113090000**

Full Face Mask, Negative Pressure, with threaded connector to EN 148-1. The mask can be used either with standard thread EN 148-1 canister or Spasciani series 2000 cartridges.

The mask is made of:

- Face blank with double revert seal, ergonomic and bellows-like
- Visor, panoramic and wide visibility
- Group that holds in one single body the exhale membrane, the gasket/valve holder and the exhale membrane
- Inner nose cup
- Head harness, five arms
- Neck strap

The mask comes with **DUPLA** adaptor P/N 157900000 for the connection of two SPASCIANI series 2000 cartridges.



## TECHNICAL DATA

### Breathing Resistance

Test flow l/min	Inhalation (mbar)		Exhalation (mbar)	
	Max standard	Measured	Max standard	Measured
25 cycles/m X 2 l/cycles	2.5	1.3	3.0	1.8
30 l/min	0.5	0.13		
95 l/min	1.5	0.60		

### Inward Leakage:

Test Aerosol	Max admitted inv. leakage %	Measured Penetration % (10 subjects average)
NaCl	0.05	0.0013

### LIMITATIONS FOR USE

The mask cannot be used with positive pressure SCBAs nor with devices not provided with the same connector to **EN 148-1**.

### CLASSIFICATION

Full Face Mask, **Class 2** to **EN 136:1998** and Directive **89/686/EEC (PPE)**.



YOUR SAFETY MAKER



# FULL FACE MASK

TR 2002 "DUPLA"

Mod. P/N 113090000

## MARKING



## MATERIALS

Face Blank:	TPE
Visor:	Polycarbonate
Head harness:	EPDM
Nose Cup:	TPE
Neck strap:	PVC
Dupla adaptor:	Nylon
Dupla adaptor gaskets:	EPDM

## STORAGE

Store at temperatures between -20 and +50 °C and RH <80%.

## WEIGHT

580 g (1,29 lb) approximately for the mask, 68 g (2,82 oz) approximately for the adapter.

## DIMENSIONS/PACKAGING

The mask is delivered in a PE bag into a single carton, dimensions 250x190x140 mm.  
Masks come in a multiple 6 pieces carton, dimensions 510x440x210 mm.

---

For more information please check the notes along with the products or the ones published on the website: [www.spasciani.com](http://www.spasciani.com)

*NOTE: SPASCIANI SpA does not take any responsibility for any possible and unintentional mistake and reserve the faculty of modify materials and technical characteristics of its products at any time and without any notice.*

