

CERTIFICATO DI ESAME UE DEL TIPO

(in accordo all'Allegato V del regolamento UE 2016/425)

PPE086AT2301

Pag. 1 di 3

1 - FABBRICANTE

Ragione Sociale

SPASCIANI S.p.A.

Indirizzo della Sede Legale

Piazza Castello 9 – IT 20121 Milano

2 - CARATTERISTICHE DEL DISPOSITIVO DI PROTEZIONE INDIVIDUALE

Tipo

Dispositivi di protezione delle vie respiratorie – Filtri gas e combinati

Modelli e classificazione

Denominazione	Classificazione
200 K2	K2
200 A2	A2
200 A1P3	A1P3
201 A2B2E2	A2B2E2
201 A2B2	A2B2
201 B2	B2
201 E2	E2
202 A2B2E2K2	A2B2E2K2
202 AX	AX
202 K2P3	K2P3
202 A2P3	A2P3
202 A2B2E2P3	A2B2E2P3
202 A2B2P3	A2B2P3
202 B2P3	B2P3
202 E2P3	E2P3
203 A2B2E2K2P3	A2B2E2K2P3
203 A2B2E2K2HgP3	A2B2E2K2HgP3
203 AXP3	AXP3

Fascicolo tecnico:

Filtri EN 148-1 rev 13 del 2023-11-30

Norma di riferimento:

EN 14387:2021

Categoria del DPI:

III

3 - MODIFICHE

Rinnovo del certificato PPE086AT1694 e aggiornamento delle marcature alla norma EN 14387:2021.

I filtri 200 K2 e 202 K2P3 derivano dai filtri 100 K2 e 200 K2P3, a seguito della modifica della quantità di carbone.

L'utilizzo del presente Certificato è vincolato al rispetto dei regolamenti di certificazione di ITALCERT applicabili

ue

**4 - VALUTAZIONE E CONFORMITA'**

Vista la documentazione tecnica fornita dal Fabbrikante e gli esiti delle valutazioni effettuate, i DPI descritti sopra soddisfano i requisiti essenziali di salute e sicurezza applicabili stabiliti dal regolamento UE 2016/425 Allegato II.

Per i Dispositivi di Protezione Individuale rientranti nella categoria III il presente certificato deve essere utilizzato solo in combinazione con una delle procedure di valutazione della conformità di cui all'articolo 19, lettera c) del Regolamento 425/2016.

5 - NOTE:

- Il fascicolo tecnico esaminato di cui al punto 2 del presente documento è conservato presso la sede di ITALCERT.
- I filtri oggetto del presente certificato sono dotati di raccordo standard EN 148-1 e sono destinati ad essere utilizzati come filtri singoli.
- La massa dei filtri oggetto del presente certificato è idonea per l'uso con semi maschere con l'eccezione del filtro 203 AXP3.
- Il presente certificato sostituisce e annulla il precedente certificato PPE086AT1694.
- La valutazione di conformità ai requisiti essenziali di sicurezza e salute di cui all'Allegato II del Regolamento UE 2016/425 si basa anche sulla conformità alla norma EN 14387:2004 + A1:2008 per i requisiti prestazionali.
- La valutazione di conformità fa riferimento alla Relazione di Certificazione 230239B e si basa anche sulle verifiche riportate nei documenti elencati nella sezione ALLEGATI.

6 – ALLEGATI

Rapporto di prova PPE086RP3502 emesso da Italcert il 2023-12-22

Rapporto di prova PPE086RP3491 emesso da Italcert il 2023-12-22

Rapporto di prova PPE086RP2663 emesso da Italcert il 2018-12-20
(allegato al Certificato PPE086AT1694 emesso da ITALCERT S.r.l.)

Rapporto di prova 201826539/2120 emesso da IFA il 2018-11-27
(allegato al Certificato PPE086AT1694 emesso da ITALCERT S.r.l.)

Rapporto di prova PPE086RP2609 emesso da Italcert S.r.l. il 2018-04-10
(allegato al Certificato PPE086AT1632 emesso da ITALCERT S.r.l.)

Rapporto di prova PPE086RP2558 emesso da Italcert S.r.l. il 2017-11-10
(allegato al Certificato PPE086AT1592 emesso da ITALCERT S.r.l.)

Rapporto di prova PPE086RP2472 emesso da Italcert S.r.l. il 2016-12-13
(allegato al Certificato PPE086AT1491 emesso da ITALCERT S.r.l.)

Rapporto di prova PPE086RP2336 emesso da Italcert S.r.l. il 2015-07-15
(Allegato al Certificato PPE086AT1373 emesso da Italcert S.r.l.)

Rapporto di prova PPE086RP2303 emesso da Italcert in data 2015-04-22
(allegato al Certificato PPE086AT1340 emesso da ITALCERT S.r.l.)

Rapporto di prova PPE086RP2283 emesso da Italcert S.r.l. il 2015-03-11
(allegato al Certificato PPE086AT1307 emesso da ITALCERT S.r.l.)

Rapporto di prova PPE086RP2266 emesso da Italcert S.r.l. il 2015-01-12
(allegato al Certificato PPE086AT1293 emesso da ITALCERT S.r.l.)

Rapporto di prova 201423109/2120 emesso da IFA il 2015-01-05
(allegato al Certificato PPE086AT1293 emesso da ITALCERT S.r.l.)

Rapporto di prova PPE086RP2255 emesso da Italcert S.r.l. il 2014-12-01
(allegato al Certificato PPE086AT1281 emesso da ITALCERT S.r.l.)

L'utilizzo del presente Certificato è vincolato al rispetto dei regolamenti di certificazione di ITALCERT applicabili

he



Rapporto di prova PPE086RP2015 emesso da Italcert S.r.l. il 2013-04-10

(allegato al Certificato PPE086AT1137 emesso da ITALCERT)

Rapporto di prova 7611.1 A/12 emesso da DEKRA (0158) il 2012-09-27

(allegato al Certificato 7611 A/12/40 PSA emesso da DEKRA)

Rapporto di prova 7611.2 A/12 emesso da DEKRA (0158) il 2012-09-27

(allegato al Certificato 7611 A/12/40 PSA emesso da DEKRA)

Rapporto di prova 200521368/2120, emesso da BGIA (O.N. 0121) il 2005-10-10

(Allegato al Certificato 0501144, emesso da BGIA)

Rapporto di prova PPE/RP 858-04 emesso da Italcert S.r.l. il 2004-04-01

(allegato al Certificato CE n° PPE/AT 576-04 EST.01-04/04 Prot.0527-04 emesso da Italcert S.r.l.)

Rapporto di prova PPE/RP 854-04 emesso da Italcert S.r.l. il 2004-04-01

(allegato al Certificato PPE/AT 573-04 EST 01-04/04 Prot.0523-04 emesso da Italcert S.r.l.)

Rapporto di prova PPE/RP 852-04 emesso da Italcert S.r.l. il 2004-04-01

(allegato al Certificato PPE/AT 572-04 EST.01-04/04 Prot.0521/04 emesso da Italcert S.r.l.)

Rapporto di prova PPE/RP 851-04, emesso da Italcert S.r.l. il 2004-04-01

(allegato al Certificato PPE/AT n°572-04 Prot. 0520/04 emesso da ITALCERT)

Data di emissione: 2023-12-22

Data di scadenza: 2028-12-15

Dr. Ing. Roberto Gusolito

AMMINISTRATORE DELEGATO

L'utilizzo del presente Certificato è vincolato al rispetto dei regolamenti di certificazione di ITALCERT applicabili

ITALCERT S.r.l. - V.le Sarca, 336 - I 20126 Milano - Tel. +39.02.66104876 - Fax +39.02.66101479

E-mail: italcert@italcert.it - www.italcert.it



PRD N° 122B

Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC
Signatory of EA, IAF and ILAC Mutual Recognition Agreements

EU TYPE EXAMINATION CERTIFICATE

(in accordance with Annex V of Regulation EU 2016/425)

PPE086AT2301

Pag. 1 of 3

1 - MANUFACTURER

Company name

SPASCIANI S.p.A.

Legal address

Piazza Castello 9 - IT 20121 Milano

2 - CHARACTERISTICS OF THE PERSONAL PROTECTIVE EQUIPMENT

Type

Respiratory protective device - Gas filters and combined filters

Models and classifications

Name	Classification
200 K2	K2
200 A2	A2
200 A1P3	A1P3
201 A2B2E2	A2B2E2
201 A2B2	A2B2
201 B2	B2
201 E2	E2
202 A2B2E2K2	A2B2E2K2
202 AX	AX
202 K2P3	K2P3
202 A2P3	A2P3
202 A2B2E2P3	A2B2E2P3
202 A2B2P3	A2B2P3
202 B2P3	B2P3
202 E2P3	E2P3
203 A2B2E2K2P3	A2B2E2K2P3
203 A2B2E2K2HgP3	A2B2E2K2HgP3
203 AXP3	AXP3

Technical file:

Filtri EN 148-1 rev 13 dated 2023-11-30

Reference standard:

EN 14387:2021

Category of the PPE:

III

3 - MODIFICATIONS

Renewal of certificate PPE086AT1694 and update of the markings to standard EN 14387:2021.

Filters 200 K2 and 202 K2P3 derives from filters 100 K2 and 200 K2P3 due to the change in the carbon quantity.

The use of the present Certificate is subordinated to the observance of ITALCERT applicable regulations for the certification

he

EU TYPE EXAMINATION CERTIFICATE

(in accordance with Annex V of Regulation EU 2016/425)

PPE086AT2301

Pag. 2 of 3

4 – ASSESSMENT AND COMPLIANCE

In consideration of the technical documentation supplied by the Manufacturer and of the results of the evaluations, the PPE listed above meets the basic health and safety requirements as specified by the Annex II of the Regulation EU 2016/425.

For Personal Protective Equipment of category III the present Certificate must be used only in combination with one of the evaluation of conformity procedures provided for by article 19, letter c) of the Regulation EU 2016/425.

5 - NOTES:

- The examined technical file referred to in point 2 of the present document is available at ITALCERT
- The filters included in the present certificate has a EN 148-1 standard connection and has been designed to be used as single filter.
- The mass of the filters is suitable for the use with half masks with the exception of filter 203 AXP3.
- This certificate supersedes and replaces the previous certificate PPE086AT1694.
- The assessment of compliance with basic health and safety requirements as specified by the Annex II of the Regulation EU 2016/425 is also based on the compliance with the performance requirements of standard EN 14387:2004 + A1:2008.
- The compliance evaluation makes reference to "Relazione di Certificazione" 230239B and it is also based on the test recorded in the documents listed in section ANNEXES.
- This is the English translation of the EU Type Examination Certificate PPE086AT2301 issued by ITALCERT in Italian language. In case of discrepancy, the original version in Italian shall prevail.

6 - ANNEXES

Test report PPE086RP3502 issued by Italcert il 2023-12-22

Test report PPE086RP3491 issued by Italcert il 2023-12-22

Test report PPE086RP2663 issued by Italcert on 2018-12-20
(enclosed to Certificate PPE086AT1694 issued by ITALCERT S.r.l.)

Test report 201826539/2120 issued by IFA on 2018-11-27
(enclosed to Certificate PPE086AT1694 issued by ITALCERT S.r.l.)

Test report PPE086RP2609 issued by Italcert S.r.l. on 2018-04-10
(enclosed to Certificate PPE086AT1632 issued by ITALCERT S.r.l.)

Test report PPE086RP2558 issued by Italcert S.r.l. on 2017-11-10
(enclosed to Certificate PPE086AT1592 issued by ITALCERT S.r.l.)

Test report PPE086RP2472 issued by Italcert S.r.l. on 2016-12-13
(enclosed to Certificate PPE086AT1491 issued by ITALCERT S.r.l.)

Test report PPE086RP2336 issued by Italcert S.r.l. on 2015-07-15
(Enclosed to Certificate PPE086AT1373 issued by Italcert S.r.l.)

Test report PPE086RP2303 issued by Italcert in data 2015-04-22
(enclosed to Certificate PPE086AT1340 issued by ITALCERT S.r.l.)

Test report PPE086RP2283 issued by Italcert S.r.l. on 2015-03-11
(enclosed to Certificate PPE086AT1307 issued by ITALCERT S.r.l.)

Test report PPE086RP2266 issued by Italcert S.r.l. on 2015-01-12
(enclosed to Certificate PPE086AT1293 issued by ITALCERT S.r.l.)

Test report 201423109/2120 issued by IFA on 2015-01-05
(enclosed to Certificate PPE086AT1293 issued by ITALCERT S.r.l.)

The use of the present Certificate is subordinated to the observance of ITALCERT applicable regulations for the certification

he

EU TYPE EXAMINATION CERTIFICATE*(in accordance with Annex V of Regulation EU 2016/425)***PPE086AT2301**

Pag. 3 of 3

Test report PPE086RP2255 issued by Italcert S.r.l. on 2014-12-01

(enclosed to Certificate PPE086AT1281 issued by ITALCERT S.r.l.)

Test report PPE086RP2015 issued by Italcert S.r.l. on 2013-04-10

(enclosed to Certificate PPE086AT1137 issued by ITALCERT)

Test report 7611.1 A/12 issued by DEKRA (0158) on 2012-09-27

(enclosed to Certificate 7611 A/12/40 PSA issued by DEKRA)

Test report 7611.2 A/12 issued by DEKRA (0158) on 2012-09-27

(enclosed to Certificate 7611 A/12/40 PSA issued by DEKRA)

Test report 200521368/2120, issued by BGIA (O.N. 0121) on 2005-10-10

(Enclosed to Certificate 0501144, issued by BGIA)

Test report PPE/RP 858-04 issued by Italcert S.r.l. on 2004-04-01

(enclosed to Certificate CE n° PPE/AT 576-04 EST.01-04/04 Prot.0527-04 issued by Italcert S.r.l.)

Test report PPE/RP 854-04 issued by Italcert S.r.l. on 2004-04-01

(enclosed to Certificate PPE/AT 573-04 EST 01-04/04 Prot.0523-04 issued by Italcert S.r.l.)

Test report PPE/RP 852-04 issued by Italcert S.r.l. on 2004-04-01

(enclosed to Certificate PPE/AT 572-04 EST.01-04/04 Prot.0521/04 issued by Italcert S.r.l.)


Test report PPE/RP 851-04, issued by Italcert S.r.l. on 2004-04-01

(enclosed to Certificate PPE/AT n°572-04 Prot. 0520/04 issued by ITALCERT)

Date of issue: 2023-12-22

Expiry date: 2028-12-15

Dr. Ing. Roberto Cusolito


MANAGING DIRECTOR

The use of the present Certificate is subordinated to the observance of ITALCERT applicable regulations for the certification