

EU Type-Examination Certificate

Holder	Rudolf Uhlen GmbH Am Höfgen 13 42781 Haan GERMANY
Registration No.	C1844UHL/R9
Product	Visor for infrared protection
Type, Model	GFKVI001-1 / GFKVI020-1 / GFKVI001-6 / GFKVI210-1 / GFKVI210-6 / GFKVI020-9 / GFKVI020-10 / GFKVI020-11
Testing basis	DIN EN 166:2002-04 DIN EN 171:2002-08
Test reports/Test marks	10903-PZA-13, 12411-PZA-14, 1068-PZA-15, 10932-PZA-16, 10952-PZA-17, 10954-PZA-17, 10906-PZA-13, 12411-PZA-14, 1068-PZA-15, 10934-PZA-16, 10872-PZA-18, 14016-PZA-19, 14001-PZA-20, 14002-PZA-20, 14003-PZA-20, 10432-PZA-21, 10491-PZA-22, 10981-PZA-23
Marking of the product	Detailed marking see annex
Validity period	2022-09-15 to 2027-09-13
Conformity	DIN CERTCO confirms that the prototype complies with the essential health and safety requirements according to the Annex II of Regulation (EU) 2016/425 on personal protective equipment. This assessment was based on the test samples submitted by the manufacturer or authorised representative, the technical documentation and the test report of the test laboratory.

Any previous versions of this EU Type-Examination Certificate hereby cease to be valid.

Please see the annex for further information.

2022-09-15
Dipl.-Phys. Carlo Seiser
Notified Body 0196



ANNEX

Page 1 of 2

Certificate	C1844UHL/R9 dated 2022-09-15
Manufacturer's Identification	UHL
Marking of the product	GFKVI001-1 / GFKVI020-1: Surface power 0 dpt to 7.0 dpt: 4-5 UHL 1 BT 9 CE 0196 Surface power > 7.0 dpt: 4-5 UHL 2 BT 9 CE 0196 GFKVI001-6 / GFKVI210-1 / GFKVI210-6 / GFKVI020-9 / GFKVI020-10 / GFKVI020-11: 4-5 UHL 1 BT 9 CE 0196
Product specification	Mechanical strength: protection against high-speed particles at extremes of temperature BT (120 m/s) Optical class: 1 (surface power < 7,5 dpt) Shade number: 4-5 Protection against molten metals and hot solids: 9 Material: GFKVI001-1 / GFKVI001-6 / GFKVI020-1 / GFKVI210-1 / GFKVI210-6: PC GFKVI020-9 / GFKVI020-10 / GFKVI020-11: PC, aluminium Colour: Green, gold coated Centre thickness: 1.0 mm
Additional product information	GFKVI001 / GFKVI001-6: 500 mm x 250 mm GFKVI020-1: 260 mm x 150 mm (for metal frame BFKFE003) GFKVI210-1 / GFKVI210-6: 450 mm x 220 mm (half round shaped) GFKVI020-9: 250 mm x 150 mm (with aluminium edge reinforcement and button lower part) GFKVI020-10: 300 mm x 160 mm (with aluminium edge reinforcement and button lower part) GFKVI020-11: 250 mm x 200 mm (with aluminium edge reinforcement and button lower part) GFKVI001-6: as Standard, 3M
Regulations/ Liabilities	This EU Type-Examination Certificate is the property of DIN CERTCO and may be withdrawn if the conditions on which its issue was based are no longer met. The information leaflet (instructions for use) for the specified eye protection product must be written in the official language of the country of destination and



ANNEX

Page 2 of 2

Certificate

C1844UHL/R9 dated 2022-09-15

include, among other things, the following details of the Notified Body:

DIN CERTCO Gesellschaft für
Konformitätsbewertung mbH
Alboinstraße 56
12103 BERLIN
GERMANY

Identification number of the Notified Body: 0196

As far as possible, the product must be marked with a type, batch or serial number or other element allowing its identification.

As far as possible, the product must be marked with the name and postal address of the manufacturer or, if the manufacturer is not based in the European Economic Area, the name and contact address of an authorised representative or importer based in the European Economic Area.

The product or its packaging must be indelibly and unambiguously marked with the month and year of manufacture and/or the month and year of obsolescence.

The product must be marked with the identification number of the Notified Body monitoring the product in accordance with Annex VII (Module C2) or VII (Module D) of Regulation (EU) 2016/425.

This EU Type-Examination Certificate shall only be used in conjunction with one of the conformity assessment procedures referred to Regulation (EU) 2016/425 Article 19 in point c.

All changes to the product, the technical documents or to the quality assurance system must be notified to DIN CERTCO in writing.

The General Terms and Conditions of DIN CERTCO apply.

